

Page 1/11

Safety data sheet according to 1907/2006/EC. Article 31

Printing date 19.01.2021

Version number 15

Revision: 19.01.2021

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Trade name: Bioclean Monster

1.2 Relevant identified uses of the substance or mixture and uses advised against

Life cycle stages PW Widespread use by professional workers

Sector of Use

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) **Product category** PC35 Washing and cleaning products (including solvent based products) **Process category**

PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities PROC19 Manual activities involving hand contact PROC12 Transmotor of articles by disping and pouring

PROC13 Treatment of articles by dipping and pouring

Technical function Cleaning agent

Application of the substance / the mixture

Alkaline cleaner/ detergent Industrial cleaner

Hand cleaning agent

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: JetCleaning B.V. Sigarenmaker 2 5521 DJ Eersel Nederland T. +31 (0)497 33 00 32 info@jet-cleaning.com www.jet-cleaning.com

BioClean, a brand of Apex International www.apex-groupofcompanies.com

Further information obtainable from:

T. +31 (0)497 33 00 32 safety@jet-cleaning.com **1.4 Emergency telephone number:** 24/7 : +31 (0) 167 537 011

National Poison Centre België (Belgique) Centre Antipoisons-Antigifcentrum 070 245 245 Česká Republika (Czech Republic) Toxikologické informační středisko 0 22 49 192 93 Danmark (Denmark) Poison Information Center 0 82 12 12 12 Deutschland (Germany) Clinical Toxicology and Berlin Poison Information Centre 0 30 192 40 España (Spain) Servicio de Información Toxicológica 091 562 04 20 France Centre antipoison et de toxicovigilance de Paris 01 40 05 48 48 Ireland Poisons Information Centre of Ireland 01 809 2166 Italia (Italy) Centro Antiveleni Rome 06 499 70 698 Lietuvia (Lithuania) Environmental Protection Agency 370 70662008 Luxembourg Centre Antipoison 8002 5500 Magyarország (Hungary) Health Toxicological Information Service 080 20 11 99 Nederland Nationaal Vergiften Informatie Centrum 0 30 274 88 88 (Uitsluitend bestemd om professionele hulpverleners te informeren bij acute vergiftigingen) Norge (Norway) Department for Poisons Information 022 59 13 00 Österreich (Austria) Vergiftungsinformationszentrale 01 406 43 43 Polska (Poland) Centrum Toksykologii 022 619 66 54 Portugal Centro de Informação Antivenenos 021 330 3284 România (Romania) Spitalul de Urgenta Floreasca 021 230 8000 Slovenská republika (Slovakia) National Toxicological Information Center 02 54 774 166 Schweiz (Swiss) Toxicological Information Centre 0 44 251 51 51

(Contd. on page 2)



Page 2/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.01.2021

Version number 15

Revision: 19.01.2021

Trade name: Bioclean Monster

(Contd. of page 1) Sverige (Sweden) Giftinformationscentralen (Swedish Poisons Information Centre) 08 33 12 31 Suomi (Finland) Nødnummer Myrkytystietokeskus 09-471977 United Kingdom National Poison Centre – Poison Information Service 111

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008

Met. Corr.1 H290 May be corrosive to metals.

Acute Tox. 4 H302 Harmful if swallowed.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

STOT SE 3 H335 May cause respiratory irritation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation. **Hazard pictograms**



Signal word Danger

Hazard-determining components of labelling: POTASSIUM HYDROXIDE **ETHANOLAMINE** PHENOXYETHANOL **DECETH-8 Hazard statements** H290 May be corrosive to metals. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H335 May cause respiratory irritation. **Precautionary statements** P260 Do not breathe dusts or mists. P271 Use only outdoors or in a well-ventilated area. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. P310 P321 Specific treatment (see on this label). P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. 2.3 Other hazards Results of PBT and vPvB assessment **PBT:** Not applicable.

(Contd. on page 3)



Page 3/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.01.2021

Version number 15

Revision: 19.01.2021

Trade name: Bioclean Monster

(Contd. of page 2)

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
CAS: 1310-58-3 EINECS: 215-181-3 Index number: 019-002-00-8 Reg.nr.: 01-2119487136-33	POTASSIUM HYDROXIDE ♦ Met. Corr.1, H290; Skin Corr. 1A, H314; ♦ Acute Tox. 4, H302 Specific concentration limits: Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0.5 % ≤ C < 2 % Eye Irrit. 2; H319: 0.5 % ≤ C < 2 % Met. Corr.1; H290: C ≥ 2.5 %	15-30%
CAS: 141-43-5 EINECS: 205-483-3 Index number: 603-030-00-8 Reg.nr.: 01-2119486455-28	ETHANOLAMINE ♦ Skin Corr. 1B, H314; ♦ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Aquatic Chronic 3, H412 Specific concentration limit: STOT SE 3; H335: C ≥ 5 %	15-30%
CAS: 122-99-6 EINECS: 204-589-7 Index number: 603-098-00-9 Reg.nr.: 01-2119488943-21	PHENOXYETHANOL Acute Tox. 4, H302; Eye Irrit. 2, H319	
CAS: 26183-52-8 Polymer Reg.nr.: Exempted [4]	DECETH-8 ♦ Eye Dam. 1, H318;	1-5%

Additional information:

For the wording of the listed risk phrases refer to section 16. Product compositional ranges are shown for health, safety and environmental use and are not intended to form any part of a specification.

[1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included for classification and labelling purposes only. Each starting material of the ionic mixture is registered, as required.

[2] Exempted: included in Annex IV of Regulation (EC) No 1907/2006.

[3] Exempted: Annex V of Regulation (EC) No 1907/2006.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Immediately remove any clothing soiled by the product.

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing:

Do not induce vomiting; call for medical help immediately.

Call for a doctor immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

(Contd. on page 4)



Page 4/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.01.2021

Version number 15

Revision: 19.01.2021

(Contd. of page 3)

Trade name: Bioclean Monster

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

5.3 Advice for firefighters

Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures
Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
6.2 Environmental precautions:
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
6.3 Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralising agent.
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
6.4 Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Use only in well ventilated areas. Information about fire - and explosion protection: Keep respiratory protective device available.

7.2 Conditions for safe storage, including any incompatibilities
Storage:
Requirements to be met by storerooms and receptacles: No special requirements.
Information about storage in one common storage facility: Do not store together with acids.
Further information about storage conditions:
Protect from frost.
Keep container tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
Storage class: 8 B

(Contd. on page 5)

EU



Page 5/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.01.2021

Version number 15

Revision: 19.01.2021

(Contd. of page 4)

Trade name: Bioclean Monster

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters						
Ingredients with limit values that require monitoring at the workplace:						
141-43-	5 ETHANOLAMI	NE				
IOELV	IOELV Short-term value: 7.6 mg/m ³ , 3 ppm Long-term value: 2.5 mg/m ³ , 1 ppm Skin					
DNELs						
1310-5	8-3 POTASSIUM	HYDROXIDE				
Inhalati	ve Long-term exp	oosure - local effects	1 mg/m ³ (Consumer)			
			1 mg/m³ (Worker)			
141-43	5 ETHANOLAMI	NE				
Oral	Long-term exp	oosure - systemic effects	3.75 mg/kg bw/day (Consumer)			
Dermal	Long-term exp	oosure - systemic effects	0.24 mg/kg bw/day (Consumer)			
			1 mg/kg bw/day (Worker)			
Inhalati	ve Long-term exp	oosure - local effects	2 mg/m³ (Consumer)			
			3.3 mg/m ³ (Worker)			
PNECs	i					
141-43-	5 ETHANOLAMI	NE				
Aqua (F	reshwater)	0.085 mg/l				
Aqua (N	Marinewater)	0.0085 mg/l				
Sewage	e treatment plant	100 mg/l				
Sedime	ent (freshwater)	2.13 mg/kg dw				
Sedime	Sediment (marinewater) 0.213 mg/kg dw					
Soil		0.374 mg/kg dw				
Additio	nal information:	The lists valid during the	making were used as basis.			
 8.2 Exposure controls Appropriate engineering controls No further data; see item 7. Individual protection measures, such as personal protective equipment General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. Bespiratory protection: During operations which cause the formation of vapor / mist / aerosol, use a half face mask according NEN140, or a full face mask according EN 136:1998/C1:2000. 						
Recom	mended filter de	vice for short term use:	: ABEK/P2	(Contd. on page 6)		

EU -



Page 6/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.01.2021

Version number 15

Revision: 19.01.2021

Trade name: Bioclean Monster

Hand protection

(Contd. of page 5)



Preventive skin protection by use of gloves is recommended.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Material of gloves



The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Suitability (penetration time, material thickness) for a specific workplace

should be discussed with the manufacturer of the protective gloves.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact gloves made of the following materials are suitable:

Nitrile rubber: Penetration time >480 min - Recommended thickness: 0,4 mm

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Nitrile rubber. Penetration time 30 min - Recommended thickness: 0,13 mm **Eye/face protection**



Tightly sealed goggles

Body protection:



Alkaline resistant protective clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and ch General Information	nemical properties	
Physical state	Fluid	
Colour:	Brown	
Odour:	Characteristic	
Odour threshold:	Not determined.	
Melting point/freezing point:	Undetermined.	
Boiling point or initial boiling point and I	boiling	
range	Undetermined.	
Flammability	Not applicable.	
Lower and upper explosion limit		
Lower:	Not determined.	
Upper:	Not determined.	
Flash point (CCMP):	Not applicable.	
		(a) (b)

(Contd. on page 7)

EU



Page 7/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.01.2021

Version number 15

Revision: 19.01.2021

Trade name: Bioclean Monster

	(Contd. of page 6
Auto-ignition temperature:	Product is not selfigniting.
Decomposition temperature:	Not determined.
pH at 20 °C	14
pH-value 50% v/v:	
Viscosity:	N
Kinematic viscosity	Not determined.
Viscositeit (uitloopbeker) Dynamic at 20 °C:	40 mPas
Solubility	40 IIIFas
water:	Fully miscible.
Partition coefficient n-octanol/water (log value	
Vapour pressure at 20 °C:	23 hPa
Density and/or relative density	
Density at 20 °C:	1.3 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	Product compositional ranges are shown for health,
	safety and environmental use and are not intended to
	form any part of a specification.
Appearance:	
Form:	Liquid
Important information on protection of health	
and environment, and on safety.	
Ignition temperature:	385 °C
Explosive properties:	Product does not present an explosion hazard.
Change in condition Evaporation rate	Not determined.
· ·	
Information with regard to physical hazard	
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids Flammable solids	Void Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric liquids Pyrophoric solids	Void Void
Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures	Void
Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit	Void Void Void
Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water	Void Void Void
Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids	Void Void Void Void
Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids Oxidising solids	Void Void Void Void Void Void
Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids	Void Void Void Void

(Contd. on page 8)



Page 8/11

Safety data sheet according to 1907/2006/EC. Article 31

Printing date 19.01.2021

Version number 15

Revision: 19.01.2021

Trade name: Bioclean Monster

(Contd. of page 7)

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions

Reacts with various metals.

Corrosive action on metals.

Reacts with strong acids.

Reacts with oxidising agents.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: Don't mix with acids.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Harmful if swallowed.

LD/LC50 values relevant for classification:

1310-58-3 POTASSIUM HYDROXIDE

Oral LD50 333 mg/kg bw (Rat)

141-43-5 ETHANOLAMINE

Oral LD50 1515 mg/kg bw (Rat)

Dermal LD50 2504 mg/kg bw (Rabbit)

Inhalative LC50/6h >1.3 mg/l (Rat)

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/irritation Causes serious eye damage.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure May cause respiratory irritation.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

1310-58-3 POTASSIUM HYDROXIDE

LC50/96h 80 mg/l (Ide (Leuciscus Idus))

141-43-5 ETHANOLAMINE

EC50/48h 65 mg/l (Daphnia Magna)

(Contd. on page 9)

EU -



Page 9/11

Safety data sheet according to 1907/2006/EC. Article 31

Version number 15

Revision: 19.01.2021

Printing date 19.01.2021

Version number 15

Trade name: Bioclean Monster

(Contd. of page 8)

LC/EC/IC50 >100 mg/l (Daphnia Magna) LC50/96h 349 mg/l (Cyprinus Carpio)

12.2 Persistence and degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.

12.5 Results of PBT and vPvB assessment

- PBT: Not applicable.
- vPvB: Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Additional ecological information:

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations

13.1 Waste treatment methods Recommendation



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

European waste catalogue

The EC waste catalog number (EAC) can only be determined after the type of use by the end-user is known for this product.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations. **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA

UN1719

14.2 UN proper shipping name ADR/RID/ADN

1719 CAUSTIC ALKALI LIQUID, N.O.S. (POTASSIUM HYDROXIDE, ETHANOLAMINE)

(Contd. on page 10)



Page 10/11

Safety data sheet according to 1907/2006/EC, Article 31

inting date 19.01.2021	Version number 15	Revision: 19.01.202
ade name: Bioclean Monster		
		(Contd. of page s
IMDG, IATA	CAUSTIC ALKALI LIQUII HYDROXIDE, ETHANOL	
14.3 Transport hazard class(e	s)	
ADR/RID/ADN, IMDG, IATA		
Class	8 Corrosive substances.	
Label ADN/R Class:	8 8 Corrosive substances.	
	o Corrosive substances.	
14.4 Packing group ADR/RID/ADN, IMDG, IATA	II	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for u Hazard identification number EMS Number: Segregation groups Stowage Category Segregation Code		ammonium salts
14.7 Maritime transport in bul IMO instruments	k according to Not applicable.	
Transport/Additional informat	ion:	
ADR/RID/ADN Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity pe Maximum net quantity pe	r inner packaging: 30 ml r outer packaging: 500 ml
Transport category Tunnel restriction code	2 E	router packaging. 500 mi
IMDG Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity pe Maximum net quantity pe	r inner packaging: 30 ml r outer packaging: 500 ml
UN "Model Regulation":	UN 1719 CAUSTIC ALKA (POTASSIUM HYDROXI	ALI LIQUID, N.O.S. DE, ETHANOLAMINE), 8, II

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is listed.

(Contd. on page 11)

EU -



Page 11/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.01.2021

Version number 15

Revision: 19.01.2021

Trade name: Bioclean Monster

(Contd. of page 10)

<5%

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

Regulation (EC) No 648/2004 on detergents / Labelling for contents

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

non-ionic surfactants

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheet is exclusively meant for industrial/professional use.

Relevant phrases

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H412 Harmful to aquatic life with long lasting effects.

Department issuing SDS: Product safety department.

Contact: N. Gerrits

Date of previous version: 12.01.2021

Version number of previous version: 14

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

- DNEL: Derived No-Effect Level (REACH)
- PNEC: Predicted No-Effect Concentration (REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Met. Corr.1: Corrosive to metals - Category 1

Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

Sources

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No.1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet.

* Data compared to the previous version altered.