

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 19.01.2021

Version number 2

Revision: 19.01.2021

**SECTION 1: Identification of the substance/mixture and of the company/
undertaking****1.1 Product identifier****Trade name: BioClean Acidic 650****1.2 Relevant identified uses of the substance or mixture and uses advised against****Technical function**

Antiscaling agent

Cleaning agent

Application of the substance / the mixture

Industrial cleaner

Acidic Cleaning material/ Detergent

1.3 Details of the supplier of the safety data sheet**Manufacturer/Supplier:**

JetCleaning B.V.

Sigarenmaker 2

5521 DJ Eersel

Nederland

T. +31 (0)497 33 00 32

info@jet-cleaning.com

www.jet-cleaning.com

BioClean, a brand of Apex International

www.apex-groupofcompanies.com

Further information obtainable from:

T. +31 (0)497 33 00 32

safety@jet-cleaning.com

1.4 Emergency telephone number:

24/7 : +31 (0) 167 537 011

National Poison Centre

België (Belgique) Centre Antipoisons-Antigifcentrum 070 245 245

Česká Republika (Czech Republic) Toxikologické informační středisko 0 22 49 192 93

Danmark (Denmark) Poison Information Center 0 82 12 12 12

Deutschland (Germany) Clinical Toxicology and Berlin Poison Information Centre 0 30 192 40

España (Spain) Servicio de Información Toxicológica 091 562 04 20

France Centre antipoison et de toxicovigilance de Paris 01 40 05 48 48

Ireland Poisons Information Centre of Ireland 01 809 2166

Italia (Italy) Centro Antiveleni Rome 06 499 70 698

Lietuvia (Lithuania) Environmental Protection Agency 370 70662008

Luxembourg Centre Antipoison 8002 5500

Magyarország (Hungary) Health Toxicological Information Service 080 20 11 99

Nederland Nationaal Vergiften Informatie Centrum 0 30 274 88 88 (Uitsluitend bestemd om professionele hulpverleners te informeren bij acute vergiftigingen)

Norge (Norway) Department for Poisons Information 022 59 13 00

Österreich (Austria) Vergiftungsinformationszentrale 01 406 43 43

Polska (Poland) Centrum Toksykologii 022 619 66 54

Portugal Centro de Informação Antivenenos 021 330 3284

România (Romania) Spitalul de Urgenta Floreasca 021 230 8000

Slovenská republika (Slovakia) National Toxicological Information Center 02 54 774 166

Schweiz (Swiss) Toxicological Information Centre 0 44 251 51 51

Sverige (Sweden) Giftinformationscentralen (Swedish Poisons Information Centre) 08 33 12 31

Suomi (Finland) Nødnummer Myrkytystietokeskus 09-471977

United Kingdom National Poison Centre – Poison Information Service 111

EU

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.01.2021

Version number 2

Revision: 19.01.2021

Trade name: BioClean Acidic 650

(Contd. of page 1)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Met. Corr. 1 H290 May be corrosive to metals.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS05

Signal word Danger

Hazard-determining components of labelling:

LACTIC ACID

hydrogen chloride

Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statements

P260 Do not breathe dusts or mists.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.01.2021

Version number 2

Revision: 19.01.2021

Trade name: BioClean Acidic 650

(Contd. of page 2)

Dangerous components:

CAS: 79-33-4 EINECS: 201-196-2 Reg.nr.: 01-2119474164-39-0000	LACTIC ACID ⚠ Eye Dam. 1, H318; ⚠ Skin Irrit. 2, H315 Specific concentration limits: Skin Irrit. 2; H315: C ≥ 10 % Eye Dam. 1; H318: C ≥ 3 % Eye Irrit. 2; H319: 1 % ≤ C < 3 %	5-15%
CAS: 160875-66-1 Polymer Reg.nr.: Exempted [4]	DECETH-10 ⚠ Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302 Specific concentration limits: Eye Dam. 1; H318: C ≥ 10 % Eye Irrit. 2; H319: 1 % ≤ C < 10 %	1-5%
CAS: 7647-01-0 EINECS: 231-595-7 Index number: 017-002-00-2 Reg.nr.: 01-2119484862-27	hydrogen chloride ⚠ Acute Tox. 3, H301; Acute Tox. 3, H331; ⚠ Met. Corr. 1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318; ⚠ STOT SE 3, H335 Specific concentration limits: Met. Corr. 1; H290: C ≥ 0.1 % Skin Corr. 1A; H314: C ≥ 25 % Skin Corr. 1B; H314: 10 % ≤ C < 25 % Eye Dam. 1; H318: C ≥ 1 % STOT SE 3; H335: C ≥ 25 %	1-5%

Additional information:

For the wording of the listed risk phrases refer to section 16. Product compositional ranges are shown for health, safety and environmental use and are not intended to form any part of a specification.

[1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included for classification and labelling purposes only.

Each starting material of the ionic mixture is registered, as required.

[2] Exempted: included in Annex IV of Regulation (EC) No 1907/2006.

[3] Exempted: Annex V of Regulation (EC) No 1907/2006.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Immediately remove any clothing soiled by the product.

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Do not induce vomiting; call for medical help immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

EU

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 19.01.2021

Version number 2

Revision: 19.01.2021

Trade name: BioClean Acidic 650

(Contd. of page 3)

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing agents:**

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

5.3 Advice for firefighters

Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

When diluting always pour product into water and not vice versa.

Information about fire - and explosion protection: Keep respiratory protective device available.

7.2 Conditions for safe storage, including any incompatibilities**Storage:**

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility:

Do not store together with alkalis (caustic solutions).

Further information about storage conditions:

Protect from frost.

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Storage class: 8 B

7.3 Specific end use(s) No further relevant information available.

EU

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.01.2021

Version number 2

Revision: 19.01.2021

Trade name: BioClean Acidic 650

(Contd. of page 4)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:
7647-01-0 hydrogen chloride

IOELV	Short-term value: 15 mg/m ³ , 10 ppm Long-term value: 8 mg/m ³ , 5 ppm
-------	---

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering controls No further data; see item 7.

Individual protection measures, such as personal protective equipment
General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Respiratory protection: Not required.

Recommended filter device for short term use: ABEK/P2

Hand protection


Preventive skin protection by use of gloves is recommended.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Material of gloves


The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Suitability (penetration time, material thickness) for a specific workplace should be discussed with the manufacturer of the protective gloves.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact gloves made of the following materials are suitable:

Butyl rubber: Penetration time >480 min - Recommended thickness: 0,4 mm

Nitrile rubber: Penetration time >480 min - Recommended thickness: 0,35 mm

PVC: Penetration time >480 min - Recommended thickness: 0,5 mm

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Nitrile rubber. Penetration time 30 min - Recommended thickness: 0,13 mm

As protection from splashes gloves made of the following materials are suitable:

PVC (EN374)

Nitrile rubber: 0.11 mm (EN374)

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.01.2021

Version number 2

Revision: 19.01.2021

Trade name: BioClean Acidic 650

(Contd. of page 5)

Eye/face protection



Tightly sealed goggles

Body protection:



Acid resistant protective clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state	Fluid
Colour:	Light red
Odour:	Acrid
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling range	85 °C
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point (CCMP):	Not applicable.
Auto-ignition temperature:	Product is not selfigniting.
Decomposition temperature:	Not determined.
pH at 20 °C	1
pH-value 50% v/v:	
Viscosity:	
Kinematic viscosity	Not determined.
Viscositeit (uitloopbeker)	
Dynamic at 20 °C:	10 mPas
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C:	23 hPa
Density and/or relative density	
Density at 20 °C:	1.0259 g/cm³
Relative density	Not determined.
Vapour density	Not determined.

9.2 Other information

Appearance:

Form: Liquid

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.01.2021

Version number 2

Revision: 19.01.2021

Trade name: BioClean Acidic 650

(Contd. of page 6)

Important information on protection of health and environment, and on safety.

Explosive properties: Product does not present an explosion hazard.
Change in condition
Evaporation rate Not determined.

Information with regard to physical hazard classes

Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	May be corrosive to metals.
Desensitised explosives	Void

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions

Reacts with various metals.

Corrosive action on metals.

Reacts with strong alkali.

Reacts with oxidising agents.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/irritation Causes serious eye damage.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

(Contd. on page 8)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.01.2021

Version number 2

Revision: 19.01.2021

Trade name: BioClean Acidic 650

(Contd. of page 7)

Reproductive toxicity Based on available data, the classification criteria are not met.
STOT-single exposure Based on available data, the classification criteria are not met.
STOT-repeated exposure Based on available data, the classification criteria are not met.
Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Additional ecological information:

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

European waste catalogue

The EC waste catalog number (EAC) can only be determined after the type of use by the end-user is known for this product.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

(Contd. on page 9)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.01.2021

Version number 2

Revision: 19.01.2021

Trade name: BioClean Acidic 650
Recommended cleansing agents: Water, if necessary together with cleansing agents.

(Contd. of page 8)

SECTION 14: Transport information

14.1 UN number or ID number
ADR/RID/ADN, IMDG, IATA

UN1789

14.2 UN proper shipping name
ADR/RID/ADN
IMDG, IATA

1789 HYDROCHLORIC ACID mixture
HYDROCHLORIC ACID mixture

14.3 Transport hazard class(es)
ADR/RID/ADN, IMDG, IATA

Class

8 Corrosive substances.

Label

8

ADN/R Class:

8 Corrosive substances.

14.4 Packing group
ADR/RID/ADN, IMDG, IATA

III

14.5 Environmental hazards:

Not applicable.

14.6 Special precautions for user
Hazard identification number (Kemler code):
EMS Number:
Segregation groups
Stowage Category

Warning: Corrosive substances.
80
F-A,S-B
Acids
E

14.7 Maritime transport in bulk according to
IMO instruments

Not applicable.

Transport/Additional information:
ADR/RID/ADN
Limited quantities (LQ)
Excepted quantities (EQ)

5L

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

Transport category

3

Tunnel restriction code

E

IMDG
Limited quantities (LQ)
Excepted quantities (EQ)

5L

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

UN "Model Regulation":

UN 1789 HYDROCHLORIC ACID MIXTURE, 8, III

EU

(Contd. on page 10)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.01.2021

Version number 2

Revision: 19.01.2021

Trade name: BioClean Acidic 650

(Contd. of page 9)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU
Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

Regulation (EC) No 648/2004 on detergents / Labelling for contents

non-ionic surfactants

<5%

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheet is exclusively meant for industrial/professional use.

Relevant phrases

H290 May be corrosive to metals.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

Department issuing SDS: Product safety department.

Contact: N. Gerrits

Date of previous version: 12.01.2021

Version number of previous version: 1

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Met. Corr. 1: Corrosive to metals – Category 1

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Sources

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No.1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet.

(Contd. on page 11)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 19.01.2021

Version number 2

Revision: 19.01.2021

Trade name: BioClean Acidic 650*** Data compared to the previous version altered.**

(Contd. of page 10)

EU